STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION



DIVISION 6 - DISTRICT 3

CONTRACT PROPOSAL SMALL BUSINESS ENTERPRISE

WBS NUMBER: 6C.009015 & 6C.024023

ROUTE: VARIOUS

COUNTY: BLADEN & COLUMBUS

DESCRIPTION: HIGHLY FLEXIBLE ASPHALT PAVEMENT REPAIR

BID OPENING: FEBRUARY 20, 2013 - 10:00 A.M.

NOTICE:

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD OR SBE PROJECT. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA.

NAME OF BIDDER N.C. CONTRACTOR'S LICENSE NUMBER

ADDRESS OF BIDDER

RETURN BIDS TO:

TOM HAY, DIVISION PROPOSALS ENGINEER NORTH CAROLINA DEPARTMENT OF TRANSPORTATION 558 GILLESPIE STREET FAYETTEVILLE, NC 28301

TABLE OF CONTENTS

INSTRUCTIONS TO BIDDERS	3
GENERAL PROVISIONS	
GENERAL	Δ
AVAILABILITY OF FUNDS - CONTRACT TERMINATION	
CONTRACT TIME AND LIQUIDATED DAMAGES	
GIFTS FROM VENDORS AND CONTRACTORS	
OUTSOURCING OUTSIDE THE USA	
EMPLOYMENT	
PROSECUTION & PROGRESS	
BIDS	
BANKRUPTCY	
AUTHORITY OF THE ENGINEER	6
MATERIALS & TESTING	
SUPERVISION BY CONTRACTOR	
TEMPORARY SUSPENSION OF WORK	6
SUBLETTING OF CONTRACT	
DEFAULT OF CONTRACT	
SAFETY AND ACCIDENT PROTECTION	
INDEMNIFICATION	7
LIABILITY INSURANCE	
PAYMENT	
CLAIMS FOR ADDITIONAL COMPENSATION	8
EXTENSION OF CONTRACT TIME	8
INSPECTION	8
EQUIPMENT	9
TRAFFIC CONTROL & WORK ZONE SAFETY	9
FLAGGERS	
STANDARD SPECIAL PROVISIONS	
ERRATA (Z-4)	10
PLANT AND PEST QUARANTINES (Z-4A)	10
MINIMUM WAGES (Z-5)	
PROJECT SPECIAL PROVISIONS	
CMALL DUCINECC ENTERPRICE PROCESM	4.0
SMALL BUSINESS ENTERPRISE PROGRAM	
INTERPRETATION OF QUANTITIES IN BID FORM	۱۷۱۷
MOBILIZATIONHIGHLY FLEXIBLE ASPHALT PAVEMENT REPAIR	12
SUMMARY OF QUANTITIES	
FORM W-9	
EXECUTION OF BID, NON-COLLUSION AFFIDAVIT & DEBARMENT CERTIFICATION	10 12
CONTRACT BID FORM	
טוט דאטרו טוט די	∠3

INSTRUCTIONS TO BIDDERS

PLEASE READ ALL INSTRUCTIONS CAREFULLY BEFORE PREPARING AND SUBMITTING YOUR BID.

All bids shall be prepared and submitted in accordance with the following requirements. Failure to comply with any requirement shall cause the bid to be considered irregular and shall be grounds for rejection of the bid.

- 1. The bid sheet furnished by NC DOT with the proposal shall be used and shall not be altered in any manner. **DO NOT SEPARATE THE BID SHEET FROM THE PROPOSAL!**
- 2. All entries on the bid sheet, including signatures, shall be written in ink.
- 3. The Bidder shall submit a unit price for every item on the bid form. The unit prices for the various contract items shall be written in figures.
- 4. An amount bid shall be entered on the bid sheet for every item. The amount bid for each item shall be determined by multiplying each unit bid by the quantity for that item, and shall be written in figures in the "Amount Bid" column of the sheet.
- 5. The total amount bid shall be written in figures in the proper place on the bid sheet. The total amount shall be determined by adding the amounts bid for each item.
- **6.** Changes in any entry shall be made by marking through the entry in ink and making the correct entry adjacent thereto in ink. A representative of the Bidder shall initial the change in ink.
- 7. The bid shall be properly executed. All bids shall show the following information:
 - a. Name of individual, firm, corporation, partnership, or joint venture submitting bid.
 - b. Name of individual or representative submitting bid and position or title.
 - c. Name, signature, and position or title of witness.
 - d. Federal Identification Number
 - e. Contractor's License Number
- 8. Bids submitted by corporations shall bear the seal of the corporation on the W-9 and the Bid forms.
- 9. The bid shall not contain any unauthorized additions, deletions, or conditional bids.
- **10.** The bidder shall not add any provision reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
- 12. The sealed bid must display the following statement on the front of the sealed envelope:

HIGHLY FLEXIBLE ASPHALT PAVEMENT REPAIR BLADEN & COLUMBUS COUNTIES FEBRUARY 20, 2013 - 10:00 A.M.

13. If delivered by mail, the sealed envelope shall be placed in another sealed envelope and the outer envelope shall be addressed as follows:

TOM HAY, DIVISION PROPOSALS ENGINEER NCDOT – DIVISION 6 P.O. BOX 1150 FAYETTEVILLE, NC 28302

AWARD OF CONTRACT

The award of the contract, if it be awarded, will be made to the lowest responsible Bidder. The lowest responsible bidder will be notified that his bid has been accepted and that he has been awarded the contract. NC DOT reserves the right to reject all bids.

DIVISION CONTRACT General Provisions

GENERAL

This contract is for performing "Highly Flexible Asphalt Pavement Repair" on asphalt roadways with typical cracks larger than 1" wide, potholes and cold joint spalling, on various routes in Bladen & Columbus Counties. The Engineer reserves the right to delete specific routes should the actual quantity placed exceed the contract quantity established for the project. Should the actual quantity placed be significantly less than the contract quantity, then additional mileage may be added upon mutual agreement by both the Engineer and Contractor. The work shall progress as detailed in the Summary of Quantities.

All work and materials shall be in accordance with the provisions of the General Guidelines of this contract, the Project Special Provisions, and the current editions of the following: the NCDOT <u>Standard Specifications for Roads and Structures</u>, the NCDOT <u>Roadway Standards Drawings</u>, and the <u>Manual of Uniform Traffic Control Devices</u> (MUTCD).

The Contractor shall keep himself fully informed of all Federal, State and local laws, ordinances, and regulations, and shall comply with the provisions of Section 107 of the <u>Standard Specifications</u>.

Only contractors currently certified as a SBE Contractor by the Contractual Services Unit of NCDOT and is listed in the Directory of Transportation Firms at bid opening will be eligible to bid on this project. Prospective bidders who qualify for the SBE Program and are not currently certified should submit a completed application packet prior to bid submittal to allow for review time. The application packet and additional information on the program may be obtained online at: http://www.ncdot.org.business.ocs/sbe/.

AVAILABLITY OF FUNDS – CONTRACT TERMINATION

(05-20-08) Z-2

General Statute 143C-6-11. (h) Highway Appropriation is hereby incorporated verbatim in this contract as follows:

(h) Amounts Encumbered. – Transportation project appropriations may be encumbered in the amount of allotments made to the Department of Transportation by the Director for the estimated payments for transportation project contract work to be performed in the appropriation fiscal year. The allotments shall be multiyear allotments and shall be based on estimated revenues and shall be subject to the maximum contract authority contained in *General Statute 143C-6-11(c)*. Payment for transportation project work performed pursuant to contract in any fiscal year other than the current fiscal year is subject to appropriations by the General Assembly. Transportation project contracts shall contain a schedule of estimated completion progress, and any acceleration of this progress shall be subject to the approval of the Department of Transportation provided funds are available. The State reserves the right to terminate or suspend any transportation project contract, and any transportation project contract shall be so terminated or suspended if funds will not be available for payment of the work to be performed during that fiscal year pursuant to the contract. In the event of termination of any contract, the contractor shall be given a written notice of termination at least 60 days before completion of scheduled work for which funds are available. In the event of termination, the contractor shall be paid for the work already performed in accordance with the contract specifications.

Payment will be made on any contract terminated pursuant to the special provision in accordance with Article 108-13(E), of the *North Carolina Department of Transportation Standard Specifications for Roads and Structures*.

CONTRACT TIME AND LIQUIDATED DAMAGES

The date of availability for this project is the date of purchase order issue. The Contractor may begin work prior to this date upon approval of the Engineer or his duly authorized representative. If such approval is given, and the Contractor begins work prior to the date of availability, the Department of Transportation will assume no

responsibility for any delays caused prior to the date of availability by any reason whatsoever, and such delays, if any, will not constitute a valid reason for extending the completion date.

The completion date for this project is August 30, 2013. No extensions will be authorized except as authorized by Article 108-10 of the <u>Standard Specifications</u>

No liquidated damages are required for this contract.

GIFTS FROM VENDORS AND CONTRACTORS

(12-15-09) SP1 G152

By Executive Order 24, issued by Governor Perdue, and *N.C. G.S.§* 133-32, it is unlawful for any vendor or contractor (i.e. architect, bidder, contractor, construction manager, design professional, engineer, landlord, offeror, seller, subcontractor, supplier, or vendor), to make gifts or to give favors to any State employee of the Governor's Cabinet Agencies (i.e. Administration, Commerce, Correction, Crime Control and Public Safety, Cultural Resources, Environment and Natural Resources, Health and Human Services, Juvenile Justice and Delinquency Prevention, Revenue, Transportation, and the Office of the Governor). This prohibition covers those vendors and contractors who:

- (1) have a contract with a governmental agency; or
- (2) have performed under such a contract within the past year; or
- (3) anticipate bidding on such a contract in the future.

For additional information regarding the specific requirements and exemptions, vendors and contractors are encouraged to review Executive Order 24 and G.S. § 133-32.

Executive Order 24 also encouraged and invited other State Agencies to implement the requirements and prohibitions of the Executive Order to their agencies. Vendors and contractors should contact other State Agencies to determine if those agencies have adopted Executive Order 24.

OUTSOURCING OUTSIDE THE USA

(9-21-04) (Rev. 5-16-06) SP1 G150

All work on consultant contracts, services contracts, and construction contracts shall be performed in the United States of America. No work shall be outsourced outside of the United States of America.

Outsourcing for the purpose of this provision is defined as the practice of subcontracting labor, work, services, staffing, or personnel to entities located outside of the United States.

The North Carolina Secretary of Transportation shall approve exceptions to this provision in writing.

EMPLOYMENT

(11-15-11) (Rev. 1-17-12) 108, 102 SP1 G184

Revise the 2012 Standard Specifications as follows:

Page 1-20, Subarticle 102-15(O), delete and replace with the following:

(O) Failure to restrict a former Department employee as prohibited by Article 108-5.

Page 1-65, Article 108-5 Character of Workmen, Methods, and Equipment, line 32, delete all of line 32, the first sentence of the second paragraph and the first word of the second sentence of the second paragraph.

PROSECUTION AND PROGRESS

The Contractor will be required to prosecute the work in a continuous and uninterrupted manner from the time he begins the work until completion and final acceptance of the project. The Contractor will not be permitted to suspend his operations except for reasons beyond his control or except where the Engineer has authorized a suspension of the Contractor's operations in writing.

The Contractor shall pursue the work diligently with workmen in sufficient numbers, abilities, and supervision, and with equipment, materials, and methods of construction as may be required to complete the work described in the contract by the completion date and in accordance with Section 108 of the <u>Standard Specifications</u>.

BIDS

In accordance with GS 136-28.1(b) and the provision of the Small Business Enterprise Program, if the total bid amount of the contract exceeds \$500,000, the bid will not be considered for award.

BANKRUPTCY

The Department of Transportation, at its option, may terminate the contract upon filing by the Contractor of any petition for protection under the provisions of the Federal Bankruptcy act.

AUTHORITY OF THE ENGINEER

The Engineer for this project shall be the Division Engineer, Division 6, Division of Highways, North Carolina Department of Transportation, acting directly or through his duly authorized representatives.

The Engineer will decide all questions which may arise as to the quality and acceptability of work performed and as to the rate of progress of the work; all questions which may arise as to the interpretation of the contract; and all questions as to the acceptable fulfillment of the contract on the part of the Contractor. His decision shall be final and he shall have executive authority to enforce and make effective such decisions and orders as the Contractor fails to carry out promptly.

MATERIALS AND TESTING

The Engineer reserves the right to perform all sampling and testing in accordance with Section 106 of the <u>Standard Specifications</u> and the Department's "Materials and Test Manual." However the Engineer may reduce the frequency of sampling and testing where he deems it appropriate for the project under construction.

Any steel products which are permanently incorporated into this project shall be domestically produced. The Contractor shall furnish a notarized certification certifying that steel products conform to this requirement.

The Contractor shall furnish the applicable certifications and documentation for all materials as required by the Standard Specifications. Material which is not properly certified will not be accepted.

SUPERVISION BY CONTRACTOR

At all times during the life of the project the Contractor shall provide one permanent employee who shall have the authority and capability for overall responsibility of the project and who shall be personally available at the work site within 24 hours notice. Such employee shall be fully authorized to conduct all business with the Subcontractors, to negotiate and execute all supplemental agreements, and to execute the orders or directions of the Engineer.

At all times that work is actually being performed, the Contractor shall have present on the project one competent individual who is authorized to act in a supervisory capacity over all work on the project, including work subcontracted. The individual who has been so authorized shall be experienced in the type of work being performed and shall be fully capable of managing, directing, and coordinating the work; of reading and thoroughly understanding the contract; and receiving and carrying out directions from the Engineer or his authorized representatives. He shall be an employee of the Contractor unless otherwise approved by the Engineer.

The Contractor may, at his option, designate one employee to meet the requirements of both positions. However, whenever the designated employee is absent from the work site, an authorized individual qualified to act in a supervisory capacity on the project shall be present.

TEMPORARY SUSPENSION OF WORK

In accordance with Article 108-7 of the <u>Standard Specifications</u>, the Engineer will have the authority to suspend the work wholly, or in part, by written order for such periods as he may deem necessary for any of the following reasons.

- 1. Conditions considered unfavorable for the suitable prosecution of the work, or
- 2. The Contractor's failure to correct conditions unsafe for workmen or the general public, or
- 3. The Contractor has not carried out orders given to him by the Engineer, or
- 4. The Contractor's failure to perform any provisions of the contract.

No extension of the completion date will be allowed for the above suspensions except as may be provided for in Article 108-10.

SUBLETTING OF CONTRACT

The Contractor shall not sublet, sell, transfer, assign or otherwise dispose of this contract or any portion thereof; or his right, title, or interest therein; without written consent of the Engineer. Subletting of this contract or any portion of the contract shall conform to the requirements of Article of 108-6 of the <u>Standard Specifications</u>. The Contractor will not be permitted to sublet more than 50% of the total contract amount.

DEFAULT OF CONTRACT

The Department of Transportation shall have the right to declare a default of contract for breach by the Contractor of any material term or condition of the contract. Default of contract shall be in accordance with the terms, conditions, and procedures of Article 108-9 of the <u>Standard Specifications</u>.

SAFETY AND ACCIDENT PROTECTION

In accordance with Article 107-22 of the Standard Specifications, the Contractor shall comply with all applicable Federal, State, and local laws, ordinances, and regulations governing safety, health, and sanitation, and shall provide all safeguards, safety devices, and protective equipment, and shall take any other needed actions, on his own responsibility that are reasonably necessary to protect the life and health of employees on the job and the safety of the public, and to protect property in connection with the performance of the work covered by the contract.

INDEMNIFICATION

The Contractor shall defend, indemnify and hold harmless the North Carolina Department of Transportation, its officers and employees from any claim, demand, suit, liability, judgement and expense (including attorney's fees and other costs of litigation) arising out of or relating to injury, disease, or death of persons or damage to or loss of property resulting from or in connection with the negligent performance of this contract by the Contractor, its agents, employees, and subcontractors or any one for whom the Contractor may be responsible. The obligations, indemnities and liabilities assumed by the Contractor under this paragraph shall not extend to any liability caused by the negligence of the Department of Transportation or its employees. The Contractor's liability shall not be limited by any provisions or limits of insurance set forth in this contract.

The Contractor shall indemnify and hold harmless the Department of Transportation from any claim, demand, suit, liability, judgement, and expense involving damage or loss to the Contractor's equipment (including vandalism, theft, fire, and acts of God) arising out of or relating to work performed under this agreement. The obligations, indemnities and liabilities assumed by the Contractor under this paragraph shall not extend to any liability caused by the negligence of the Department of Transportation or its employees. The Contractor's liability shall not be limited by any provisions or limits of insurance set forth in this contract.

The Contractor further agrees to indemnify the Department of Transportation for any damages to the roadway, highway signs, highway equipment and other property owned or in possession of the Department of Transportation, brought about by reason of the negligent operation of the equipment. The Contractor further agrees to indemnify and save harmless the Department of Transportation, its officers and employees from any claims or amounts recovered by any of the Contractor's employees under the Workmen's Compensation Act.

LIABILITY INSURANCE

In accordance with Article 107-15 of the Standard Specifications, the Contractor shall be liable for any losses resulting from a breach of the terms of this contract. The Contractor shall be liable for any losses due to the negligence or willful misconduct of its agents, assigns and employees including any sub-contractors which causes damage to others for which the Department is found liable under the Torts Claims Act, or in the General Courts of

Justice, provided the Department provides prompt notice to the Contractor and that the Contractor has an opportunity to defend against such claims. The Contractor shall not be responsible for punitive damages.

The Contractor shall at its sole cost and expense obtain and furnish to the Department an original standard ACORD form certificate of insurance evidencing commercial general liability with a limit for bodily injury and property damage in the amount of \$5,000,000.00 per occurrence and general aggregate, covering the Contractor from claims or damages for bodily injury, personal injury, or for property damages which may arise from operating under the contract by the employees and agents of the Contractor. The required limit of insurance may be obtained by a single general liability policy or the combination of a general liability and excess liability or umbrella policy. The State of North Carolina shall be named as an additional insured on this commercial general liability policy. The policy may contain the following language as relates to the State as an additional insured: "This insurance with respect to the additional insured applies only to the extent that the additional insured is held liable for your or your agent's acts or omissions arising out of and in the course of operations performed for the additional insured."

The Contractor shall maintain all legally required insurance coverage, including without limitation, worker's compensation and vehicle liability, in the amounts required by law. Providing and maintaining adequate insurance coverage is a material obligation of the contractor and is of the essence of this contract. All such insurance shall meet all laws of the State of North Carolina. Such insurance coverage shall be obtained from companies that are authorized to provide such coverage and that are authorized by the Commissioner of Insurance to do business in North Carolina. The Contractor shall at all times comply with the terms of such insurance policies.

Upon execution of the contract, provide evidence of the above insurance requirements to the Engineer. When required by the contract, the Contractor shall carry insurance of the kinds and in the amounts specified therein in addition to any other forms of insurance or bonds required under the terms of the contract, or any other insurance carried by the Contractor.

PAYMENT

The Contractor may submit a request for partial payment on a monthly basis, or other interval as approved by the Engineer. The amount of partial payments will be based on the work accomplished and accepted as the last day of the approved pay period. One hundred percent (100%) payment shall be made after successful completion of the work as verified by the final inspection.

The **INVOICE** shall show the quantities of items placed, unit bid price and the total cost. Upon verification, the Engineer will submit the invoice for payment. Invoices shall be submitted to:

R. Allen Waddell, P. E NC DOT 1194 Prison Camp Road Whiteville, NC 28472

r rawaddell@ncdot.gov

CLAIMS FOR ADDITIONAL COMPENSATION OR EXTENSION OF TIME

Any claims for additional compensation and/or extensions of the completion date shall be submitted to the Division Engineer with detailed justification within thirty (30) days after receipt of the final invoice payment. The failure of the Contractor to submit the claim(s) within thirty days shall be a bar to recovery.

EXTENSION OF CONTRACT TIME

Failure on the part of the Contractor to furnish bonds or certifications, or to satisfy preliminary requirements necessary to issue the purchase order will not constitute grounds for extension of the contract time. If the Contractor has fulfilled all preliminary requirements for the issuance of a purchase order, and the purchase order authorization is not available by the date of availability, the Contractor shall be granted an extension equal to the number of calendar days the purchase order authorization is delayed after the date of availability.

INSPECTION

All work shall be subject to inspection by the Engineer at any time. Routinely, the Engineer will make periodic inspections of the completed work. It will be the responsibility of the Contractor to keep the Engineer informed of his

proposed work plan and to submit written reports of work accomplished on a frequency to be determined by the Engineer.

EQUIPMENT

The Contractor shall furnish all equipment in good operating condition, and shall be operated by properly trained and qualified personnel. The Contractor shall be responsible for all costs or charges incurred in the operation and maintenance of the equipment during the performance of this contract. Upon request, the contractor shall provide any and all state and federal certifications for equipment safety.

Payment for equipment and labor required to perform bid items is included in the bid item price provided by the contractor. Mobilization of labor and equipment shall be included in the bid item price provided by the contractor.

TRAFFIC CONTROL AND WORK ZONE SAFETY

The contractor shall maintain traffic during construction and provide, install, and maintain all traffic control devices in accordance with these project guidelines, the Project Special Provisions, NCDOT <u>Standard Specifications for Roads and Structures</u>, NCDOT <u>Roadway Standard Drawings</u>, and the current edition of the <u>Manual of Uniform Traffic Control Devices</u> (MUTCD).

The Contractor shall utilize complete and proper traffic controls and traffic control devices during all operations. All traffic control and traffic control devices required for any operation shall be functional and in place prior to the commencement of that operation. Signs for temporary operations shall be removed during periods of inactivity. The Contractor is required to leave the project in a manner that will be safe to the traveling public and which will not impede motorists.

Traffic movements through lane closures on roads with two way traffic shall be controlled by flaggers stationed at each end of the work zone. In situations where sight distance is limited, the Contractor shall provide additional means of controlling traffic, including, but not limited to, two-way radios, pilot vehicles, or additional flaggers. Flaggers shall be competent personnel, adequately trained in flagging procedures, and furnished with proper safety devices and equipment, including, but not limited to, safety vests and stop/slow paddles.

All personnel when working in traffic areas or areas in close proximity to traffic shall wear an approved safety vest, or shirt or jacket which meets the color requirements of the Manual of Uniform Traffic Control Devices (MUTCD).

The Contractor shall comply with all applicable Federal, State, and local laws, ordinances, and regulations governing safety, health, and sanitation, and shall provide all safeguards, safety devices, and protective equipment, and shall take any other needed actions, on his own responsibility that are reasonably necessary to protect the life and health of employees on the job and the safety of the public, and to protect property in connection with the performance of the work covered by the contract.

Failure to comply with any of the requirements for safety and traffic control of this contract shall result in suspension of work as provided in subarticle 108-7(2) of the <u>Standard Specifications</u>. No direct payment shall be made for traffic control and work zone safety items, as they shall be considered incidental to other contract items.

FLAGGERS

Provide the service of properly equipped and qualified flaggers, in accordance with Section 1150 of the <u>Standard Specifications</u> and <u>Roadway Standard Drawing</u> 1150.01, at locations and times for such period as necessary for the control and protection of vehicular and pedestrian traffic. Anyone who controls traffic is required to be qualified. Qualification consists of each flagger receiving proper training in the set-up and techniques of safely and competently performing a flagging operation. Qualification of flaggers is to be done by an NCDOT approved training agency. For a complete listing of these, see the Work Zone Traffic Control's webpage, http://www.ncdot.gov/doh/preconstruct/wztc/.

Prior to beginning work on the project, a Qualification Statement that all flaggers used on the project have been properly trained through an NCDOT approved training resource shall be provided to the Engineer.

Use flagging methods that comply with the guidelines in the MUTCD.

No direct payment shall be made for the use of flaggers, as they shall be considered incidental to other contract items.

DIVISION CONTRACT Standard Special Provisions

ERRATA

(1-17-12) (Rev. 9-18-12) Z-4

Revise the 2012 Standard Specifications as follows:

Division 2

Page 2-7, line 31, Article 215-2 Construction Methods, replace "Article 107-26" with "Article 107-25".

Page 2-17, Article 226-3, Measurement and Payment, line 2, delete "pipe culverts,".

Page 2-20, Subarticle 230-4(B), Contractor Furnished Sources, change references as follows: Line 1, replace "(4) Buffer Zone" with "(c) Buffer Zone"; Line 12, replace "(5) Evaluation for Potential Wetlands and Endangered Species" with "(d) Evaluation for Potential Wetlands and Endangered Species"; and Line 33, replace "(6) Approval" with "(4) Approval".

Division 4

Page 4-77, line 27, Subarticle 452-3(C) Concrete Coping, replace "sheet pile" with "reinforcement".

Division 6

Page 6-7, line 31, Article 609-3 Field Verification of Mixture and Job Mix Formula Adjustments, replace "30" with "45".

Page 6-10, line 42, Subarticle 609-6(C)(2), replace "Subarticle 609-6(E)" with "Subarticle 609-6(D)".

Page 6-11, Table 609-1 Control Limits, replace "Max. Spec. Limit" for the Target Source of P_{0.075}/P_{be} Ratio with "1.0".

Page 6-40, Article 650-2 Materials, replace "Subarticle 1012-1(F)" with "Subarticle 1012-1(E)"

Division 10

Page 10-74, Table 1056-1 Geotextile Requirements, replace "50%" for the UV Stability (Retained Strength) of Type 5 geotextiles with "70%".

Division 12

Page 12-7, Table 1205-3, add "FOR THERMOPLASTIC" to the end of the title.

Page 12-8, Subarticle 1205-5(B), line 13, replace "Table 1205-2" with "Table 1205-4".

Page 12-8, Table 1205-4 and 1205-5, replace "THERMOPLASTIC" in the title of these tables with "POLYUREA".

Page 12-9, Subarticle 1205-6(B), line 21, replace "Table 1205-4" with "Table 1205-6".

Page 12-11, Subarticle 1205-8(C), line 25, replace "Table 1205-5" with "Table 1205-7".

Division 15

Page 15-6, Subarticle 1510-3(B), after line 21, replace the allowable leakage formula with the following: $W = LD\sqrt{P} \div 148.000$

Page 15-6, Subarticle 1510-3(B), line 32, delete "may be performed concurrently or" and replace with "shall be performed".

Page 15-17, Subarticle 1540-3(E), line 27, delete "Type 1".

Division 17

Page 17-26, line 42, Subarticle 1731-3(D) Termination and Splicing within Interconnect Center, delete this subarticle.

Revise the 2012 Roadway Standard Drawings as follows:

1633.01 Sheet 1 of 1, English Standard Drawing for Matting Installation, replace "1633.01" with "1631.01".

PLANT AND PEST QUARANTINES

(Imported Fire Ant, Gypsy Moth, Witchweed, And Other Noxious Weeds)

(3-18-03) Z-04a

Within quarantined area

This project may be within a county regulated for plant and/or pests. If the project or any part of the Contractor's operations is located within a quarantined area, thoroughly clean all equipment prior to moving out of the quarantined area. Comply with federal/state regulations by obtaining a certificate or limited permit for any regulated article moving from the quarantined area.

Originating in a quarantined county

Obtain a certificate or limited permit issued by the N.C. Department of Agriculture/United States Department of Agriculture. Have the certificate or limited permit accompany the article when it arrives at the project site.

Contact

Contact the N.C. Department of Agriculture/United States Department of Agriculture at 1-800-206-9333, 919-733-6932, or http://www.ncagr.com/plantind/ to determine those specific project sites located in the quarantined area or for any regulated article used on this project originating in a quarantined county.

Regulated Articles Include

- Soil, sand, gravel, compost, peat, humus, muck, and decomposed manure, separately or with other articles.
 This includes movement of articles listed above that may be associated with cut/waste, ditch pulling, and shoulder cutting.
- 2. Plants with roots including grass sod.
- Plant crowns and roots.
- 4. Bulbs, corms, rhizomes, and tubers of ornamental plants.
- 5. Hay, straw, fodder, and plant litter of any kind.
- 6. Clearing and grubbing debris.
- 7. Used agricultural cultivating and harvesting equipment.
- 8. Used earth-moving equipment.
- 9. Any other products, articles, or means of conveyance, of any character, if determined by an inspector to present a hazard of spreading imported fire ant, gypsy moth, witchweed or other noxious weeds.

MINIMUM WAGES

(7-21-09)

FEDERAL:

The Fair Labor Standards Act provides that with certain exceptions every employer shall pay wages at the rate of not less than SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

STATE:

The North Carolina Minimum Wage Act provides that every employer shall pay to each of his employees, wages at a rate of not less than SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all skilled labor employed on this contract shall be SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all intermediate labor employed on this contract shall be SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all unskilled labor on this contract shall be SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

This determination of the intent of the application of this act to the contract on this project is the responsibility of the Contractor.

The Contractor shall have no claim against the Department of Transportation for any changes in the minimum wage laws, Federal or State. It is the responsibility of the Contractor to keep fully informed of all Federal and State Laws affecting his contract.

DIVISION CONTRACTProject Special Provisions

SMALL BUSINESS ENTERPRISE PROGRAM

Bids are being solicited for this project under the provisions of the NCDOT Small Business Enterprise Program.

Your firm does not have to be formally identified as a minority, woman, or disabled business to qualify for this Program, but you must have had an annual income of \$1,500,000 or less for the previous calendar year.

Under the provisions of this Program, a NC General Contractor's License is not required.

Under the provisions of this Program, contract payment and contract performance bonds are not required.

Under the provisions of this Program, your firm is required to be certified with the Contractual Services Unit prior to bidding on this contract. The Department of Transportation will assume no responsibility for any delays caused prior to the date of availability by any reason whatsoever, and such delays, if any, will not constitute a valid reason for extending the completion date.

NOTIFICATION OF OPERATIONS

The Contractor shall notify the Engineer 72 hours in advance of beginning work on this project. The Contractor shall give the Engineer sufficient notice of all operations for any sampling, inspection or acceptance testing required.

INTERPRETATION OF QUANTITIES IN BID FORM

The quantities appearing in the bid form are approximate only and are to be used for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of the various items that are completed and accepted in accordance with the terms of the contract.

MOBILIZATION

This work consists of preparatory work and operations, including but not limited to the movement of personnel, equipment, supplies, and incidentals to the project site; the removal and disbandment of those personnel, equipment, supplies, incidentals, or other facilities that were established for the prosecution of work on the project; and for all other work and operations which must be performed for costs incurred prior to beginning work on the various items on the project site.

The Contractor will be notified when services are needed by the respective County Maintenance Engineer (CME), and shall begin work within **10 Business Days** after notification, or as determined by the CME.

No direct payment shall be made for mobilization, as it shall be considered incidental to other contract items.

HIGHLY FLEXIBLE ASPHALT PAVEMENT REPAIR

- 1. **Description:** Repair spalled areas, potholes, cracks larger than 1" wide, and joints on all asphalt pavements using a Highly Flexible Asphalt Pavement Repair. The Contractor shall prepare areas and install materials according to the manufacturer's recommendations. Material shall be SAMIscreed, or approved equal.
- 2. **Definitions:** For the purposes of this specification, the following definitions apply:
 - a. Binder the thermal setting material that is the basis of the patching material, and to which any fillers, fibers or other components are added. It is to consist of a highly polymerized asphalt cement and rosin ester.
 - **b.** Patching material the binder and other additives, mixed together, and in the form that will be applied to the patch, not including bulking aggregates.

3. Materials: Provide a hot applied flexible patching material consisting of asphalt, rosin ester, polymers, graded fillers, granite aggregates, metal fibers, glass fibers and recycled tire rubber that once heated provides an impermeable, voidless solid mass at ambient temperatures. Formulate the patching material according to climatic conditions to provide a durable pavement repair with good fluidity at process temperature, low temperature flexibility and ambient temperature flow resistance.

The binder shall contain asphalt and resin, and shall be premixed with the other components of the patching material. The patching material must meet the following requirements:

Table 1 – Material Properties

Property	Test Method	Requirement
Resilience	547-C	50% minimum
Tensile Strain to Failure	548-C	20% minimum
Cone Flow	549-C	12% maximum
Flexibility	550-C	pass ¹
Settlement	551-C	3 mm, maximum
Density	552-C	1.8 – 2.2 specific gravity

¹No evidence of cracking of the sample.

- **a.** Sampling and Testing: Material must pass a field evaluation by NCDOT. The manufacturer of the product must perform the field trial and submit samples as requested.
- **b.** Bulking Aggregate: Provide single sized bulking aggregate consisting of a crushed, double washed, and dried 3/4" Granite to be added as the patch is being applied. This bulking aggregate may not be added to the mix and the melting machine or premixed at the factory.
- c. Patents: Patented materials will not be considered for use.
- **4. Construction:** Place the patching material installation to encompass the damaged or spalled areas as shown on the plans, with adjustments to the depth and width of the repairs as directed.

Follow these requirements when performing the repair:

- **a.** Use an applicator certified by the material manufacturer.
- **b.** Using a hot air lance or compressed air and forced gas torch, dry and clean the area to be repaired. Use an air compressor with a minimum of 185 CFM.
- **c.** Mix and heat the patching material on site in a horizontal mixing unit equipped with electronically controlled thermostats. Heat the bulking aggregate using a vented barrel mixer to 300°F or other approved method separately from the material in the melting machine.
- **d.** Using a screed box or other approved method, apply the patching material to the repair area. If the repair area is deeper than 1 inch and wider than 4 inches., add bulking aggregate at a rate of 20% to 30% by volume in 2" or less lifts. Otherwise, bulking aggregate is not necessary.
- **e.** Install additional patching material and bulking aggregate in 2 in. or less lifts until the repair is within 1" of the existing pavement.
- **f.** Sweep the area and remove all debris from the site.
- g. The minimum Crack or Joint width should be 1" wide than 8" with no depth or length limitation.

Do not allow traffic over the material until after it has cooled to the point that it does not permanently deform under pressure, as recommended by the manufacturer or as directed.

- 5. Measurement: This Item will be measured by the pound of patching material installed.
- **6. Payment:** The work performed and materials furnished in accordance with the Item and measured as provided under "Measurement" will be paid for at the unit price bid for "Highly Flexible Asphalt Pavement Repair". This price is full compensation for furnishing materials, including bulking aggregate, patching material binder; heating and mixing; removal and disposal of existing pavement material; placing and finishing; labor, equipment, tools and incidentals.

SUMMARY OF QUANTITIES

A summary of the quantities estimated for this contract is shown in the table below. The work shall be done in the order as shown in the table, beginning with Map 1, and progressing through the end provided material quantity and/or money is still available, unless directed otherwise by Engineer.

County	Мар	WBS No.	Route	From	То	CL Length (mile)	Pounds (LBS)
Bladen	1	6C.009015	SR 1100	SR 1003	NC 131	2.19	10,950
Bladen	2	6C.009015	SR 1101	MP 1.60	NC 41	1.61	8,050
Bladen	3	6C.009015	SR 1212	SR 1150	SR 1145	0.75	3,750
Bladen	4	6C.009015	SR 1224	SR 1145	Dead End	0.22	1,100
Bladen	5	6C.009015	SR 1515	US 701	Begin C&G	2.15	10,750
Bladen	6	6C.009015	SR 1557	US 701	Dead End	0.31	1,550
Bladen	7	6C.009015	SR 1558	SR 1557	Dead End	0.08	400
Bladen	8	6C.009015	SR 1559	US 701	Dead End	0.38	1,900
Bladen	9	6C.009015	SR 1709	SR 1708	SR 1704	2.01	10,050
				BLADEI	N - TOTALS	9.70	48,500

County	Мар	WBS No.	Route	From	То	CL Length (mile)	Pounds (LBS)
Columbus	1	6C.024023	SR 1332	SR 1335	SR 1336	1.44	21,600
Columbus	2	6C.024023	SR 1171	MP 1.95	MP 2.15	0.20	1,800
Columbus	3	6C.024023	SR 1171	MP 0.55	MP 0.75	0.20	1,800
Columbus	4	6C.024023	SR 1914	SR 1912	SR 1904	1.38	12,420
			COLUMB	US - TOTALS	3.22	37,620	

SUBSTITUTE FORM W-9 VENDOR REGISTRATION FORM NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

Pursuant to Internal Revenue Service (IRS) Regulations, vendors must furnish their Taxpayer Identification Number (TIN) to the State. If this number is not provided, you may be subject to a 20% withholding on each payment. To avoid this 20% withholding and to insure that accurate tax information is reported to the Internal Revenue Service and the State, please use this form to provide the requested information exactly as it appears on file with the IRS.

	: ENTER NAME AS SHOWN ON SOCIAL S : ENTER YOUR LEGAL BUSINESS NAME	ECURITY CARD			
NAME:					
MAILING ADDRESS: STREET/PO BOX:					
CITY, STATE, ZIP:					
DBA / TRADE NAME (IF APPLICABLE):					
BUSINESS DESIGNATION:	☐ INDIVIDUAL (use Social Security No.)	SOLE PROPRIETER (use SS No. or Fed	ID No.)		
	CORPORATION (use Federal ID No.)	☐PARTNERSHIP (use Federal ID No.)			
	☐ ESTATE/TRUST (use Federal ID no.)	STATE OR LOCAL GOVT. (use Federal II	O No.)		
	☐ OTHER / SPECIFY	<u> </u>	<u>, </u>		
SOCIAL SECURITY NO. OR		(Social Sec	curity #)		
FED.EMPLOYER IDENTIFICATION NO.		(Employer	Identification #)		
COMPLETE THIS SECTION IF PAYMENTS	S ARE MADE TO AN ADDRESS OTHER THA	AN THE ONE LISTED ABOVE:			
REMIT TO ADDRESS: STREET / PO BOX:					
CITY, STATE, ZIP:	:				
way affect the vendor registration process choose to participate, circle the answer that	and its sole purpose is to collect statistical best fits your firm's group definition. er Not To Answer, African American, [become a registered vendor. The information bedata on those vendors doing business with N Native American, Caucasian American	CDOT. If you		
America	•	American, Other:	•		
what is your firm's gender? (Prefer Not t	to Answer, Maie, Female) Disabled-C	Owned Business? (☐ Prefer Not to Answer, ☐	Yes ,∐ No)		
Under penalties of perjury, I certify that: 1. The number shown on this form is my correct taxpayer identification and 2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the IRS that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and 3. I am a U.S. person (including a U.S. resident alien). The IRS does not require your consent to any provision of this document other than the certifications required to avoid backup withholding. For complete certification instructions please see IRS FORM W-9 at http://www.irs.gov/pub/irs-pdf/fw9.pdf .					
NAME (Print or Type)		TITLE (Print or Type)			
SIGNATURE	DAT	E PHONE NUMBER			

To avoid payment delays, completed forms should be returned promptly to:

NC Department of Transportation Fiscal /Commercial Accounts 1514 Mail Service Center Raleigh, North Carolina 27699-1514

PHONE (919) 733-3624 FAX (919) 715-3700

EXECUTION OF BID NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

CORPORATION

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S.* § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR Full name of Corporation Address as Prequalified Attest President/Vice President/Assistant Vice Secretary/Assistant Secretary President Select appropriate title Select appropriate title Print or type Signer's name Print or type Signer's name **CORPORATE SEAL AFFIDAVIT MUST BE NOTARIZED** Subscribed and sworn to before me this the **NOTARY SEAL** ____ day of ______ 20 . Signature of Notary Public of _____County My Commission Expires:

EXECUTION OF BID NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

PARTNERSHIP

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S.* § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

My Commission Expires:_____

EXECUTION OF BID NON-COLLUSION AFFIDAVIT. DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

LIMITED LIABILITY COMPANY

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S.* § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR Full Name of Firm Address as Prequalified Signature of Manager Signature of Witness Individually Print or type Signer's name Print or type Signer's Name AFFIDAVIT MUST BE NOTARIZED **NOTARY SEAL** Subscribed and sworn to before me this the day of 20 . Signature of Notary Public of County State of

My Commission Expires:_____

EXECUTION OF BID NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

JOINT VENTURE (2) or (3)

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S.* § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR

Instructions: **2 Joint Venturers** Fill in lines (1), (2) and (3) and execute. **3 Joint Venturers** Fill in lines (1), (2), (3) and (4) and execute. On Line (1), fill in the name of the Joint Venture Company. On Line (2), fill in the name of one of the joint venturers and execute below in the appropriate manner. On Line (3), print or type the name of the other joint venturer and execute below in the appropriate manner. On Line (4), fill in the name of the third joint venturer, if applicable and execute below in the appropriate manner.

(1)			Name of Islat Vantura		
(2)			Name of Joint Venture		
, ,			Name of Contractor		
			Address as Prequalified		
	Signature of Witness or A	ttest	Ву	Signature of Contractor	
	Print or type Signer's nar	ne	<u> </u>	Print or type Signer's name	
	If Corporation, affix Corpora	te Seal	and		
(3)					
			Name of Contractor		
			Address as Prequalified		
	Signature of Witness or A	ttest	Ву	Signature of Contractor	
	Print or type Signer's nar	ne		Print or type Signer's name	
	If Corporation, affix Corporate	Seal	and		
(4)					
		Name of	Contractor (for 3 Joint Venture only)		
			Address as Prequalified		
	Signature of Witness or A	ttest	Ву	Signature of Contractor	
	Print or type Signer's nar	ne		Print or type Signer's name	
	If Corporation, affix Corporate Sea	al			
OTARY SE ffidavit mus	EAL at be notarized for Line (2)	Δffidavit mi	NOTARY SEAL ust be notarized for Line (3)	NOTARY SEA Affidavit must be notarized for Line (4)	
			and sworn to before me this	Subscribed and sworn to before me this	
day of_			ıf20	day of 20	
•	Notary Public	-	f Notary Public	Signature of Notary Public	
	County		County	ofCounty State of	
	sion Expires:	My Commission Expires: My Commission Expires:			

Rev. 7-12-10

EXECUTION OF BID NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

INDIVIDUAL DOING BUSINESS UNDER A FIRM NAME

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S.* § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

	SIGNATURE	OF CONTRACTOR		
Name of Contractor		Individual name		
Trading and doing business as		Full name of Firm		
	Address as F	Prequalified		
Signature of Witne	:SS	Signature of Contractor, Individually		
Print or type Signer's	name	Print or type Signer's name		
	AFFIDAVIT M	UST BE NOTARIZED		
Subscribed and sworn to before m	e this the	NOTARY SEAL		
day of	20			
Signature of Notary Pu	ablic			
of	County			
State of				
My Commission Expires:				

EXECUTION OF BID NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

INDIVIDUAL DOING BUSINESS IN HIS OWN NAME

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S.* § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR

Name of Contractor Print or type Individual name Address as Prequalified Signature of Contractor, Individually Print or type Signer's Name Signature of Witness Print or type Signer's name **AFFIDAVIT MUST BE NOTARIZED** Subscribed and sworn to before me this the **NOTARY SEAL** day of 20 . Signature of Notary Public of County State of My Commission Expires:_____

DEBARMENT CERTIFICATION

Conditions for certification:

- The prequalified bidder shall provide immediate written notice to the Department if at any time the bidder learns that his
 certification was erroneous when he submitted his debarment certification or explanation filed with the Department, or has
 become erroneous because of changed circumstances.
- 2. The terms covered transaction, debarred, suspended, ineligible, lower tier covered transaction, participant, person, primary covered transaction, principal, proposal, and voluntarily excluded, as used in this provision, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. A copy of the Federal Rules requiring this certification and detailing the definitions and coverages may be obtained from the Contract Officer of the Department.
- 3. The prequalified bidder agrees by submitting this form, that he will not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in NCDOT contracts, unless authorized by the Department.
- 4. For Federal Aid projects, the prequalified bidder further agrees that by submitting this form he will include the Federal-Aid Provision titled Required Contract Provisions Federal-Aid Construction Contract (Form FHWA PR 1273) provided by the Department, without subsequent modification, in all lower tier covered transactions.
- 5. The prequalified bidder may rely upon a certification of a participant in a lower tier covered transaction that he is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless he knows that the certification is erroneous. The bidder may decide the method and frequency by which he will determine the eligibility of his subcontractors.
- 6. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this provision. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- 7. Except as authorized in paragraph 6 herein, the Department may terminate any contract if the bidder knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available by the Federal Government.

DEBARMENT CERTIFICATION

The prequalified bidder certifies to the best of his knowledge and belief, that he and his principals:

- a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- b. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records; making false statements; or receiving stolen property;
- c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph b. of this certification; and
- d. Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- e. Will submit a revised Debarment Certification immediately if his status changes and will show in his bid proposal an explanation for the change in status.

If the prequalified bidder cannot certify that he is not debarred, he shall provide an explanation with this submittal. An explanation will not necessarily result in denial of participation in a contract.

Failure to submit a nor non-responsive.	n-collusion affidavit and debarmer	t certification will result in	the prequalified bid	der's bid being cons	sidered
	Check here if an explanation is	attached to this certificati	ion.		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION CONTRACT BID FORM

WBS Number: 6C.009015 & 6C.024023

County: Bladen & Columbus

Description: Highly Flexible Asphalt Pavement Repair

			WBS NO.: 6C.009015	BLADEN COL	JNTY		
LINE	ITEM#	SEC	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT BID
10	1702000000-E	657	Highly Flexible Asphalt Pavement Repair	48,500	LB		
						SUBTOTAL	

			WBS NO.: 6C.024023	COLUMBUS C	OUNTY		
LINE	ITEM #	SEC	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT BID
10	1702000000-E	657	Highly Flexible Asphalt Pavement Repair	37,620	LB		
						SUBTOTAL	

Total Bid Shall Be Comprised of Both (2) Subtotals Listed Above

TOTAL BID FOR PROJECT:	
CONTRACTOR	
STREET ADDRESS	
CITY, STATE, ZIP	
Federal Identification Number	Contractors License Number
Authorized Agent	Title
Signature	Date
Witness	Title
Signature	Date
This bid has been reviewed in accordance with Article Standard Specifications for Roads and Structures. Reviewed by	(date)
Accepted by	(date)